EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|--|---|---------------------|---------|---------------------|
| .1 | 358 | (grid or mesh)same(NUPBS or non adj uniform adj rational adj B adj Spline) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:21 |
| 2 | 193 | L1 and(@ad< "20020604" or @rlad< "20020604" or @prad< "20020604" or @prad< "20020604" or @prad< "20020604" or | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/06 14:22 |
| .3 | 156 | L1 and @ad< "20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:22 |
| 4 | 0 | iL3 and(break\$3 or segment\$5 or split\$4 or divid\$4)same polygon adj mesh same(bilinear or curve)same(NURBS or non adj uniform adj rational adj B adj Spline)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:29 |
| 5 | 22 | i.3 and(break\$3 or segment\$5 or split\$4 or divid\$4) and polygon adj mesh and(bilinear or curve) and(NURBS or non adj uniform adj rational adj B adj \$pline) same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:29 |
| .6 | 5 | L5 and(stitching or uniting) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:35 |
| .7 | 0 | L6 and(uniting or stitching)and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same patches same(obtain\$3 or creat\$3 or generat\$3)and(surface adj model or solid adj model) | US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:56 |

| L8 | 0 | L5 and (uniting or stitching) and (bilinear or curve) and (NURBS or non adj uniform adj rational adj B adj Spline) same patches same (obtain\$3 or creat\$3 or generat\$3) and (surface adj model or solid adj model) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:56 |
|-----|----|---|---|----|----|---------------------|
| 9 | 0 | L5 and(uniting or stitching)and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same patches same(obtain\$3 or creat\$3 or generat\$3)and(surface adj model or solid adj model or model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:56 |
| .10 | 10 | adj B adj Spline)same patches same(obtain\$3 or creat\$3 or generat\$3)and(surface adj model or solid adj model or model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:57 |
| .11 | 1 | L10 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:57 |
| .12 | 1 | L10 and(break\$3 or segment\$5 or split\$4 or divid\$4) and polygon adj mesh and(bilinear or curve) and(NURBS or non adj uniform adj rational adj B adj Spline) same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:58 |
| .13 | 0 | L12 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 14:58 |
| .14 | 22 | L3 and(break\$3 or segment\$5 or split\$4 or divid\$4) and polygon adj mesh and(bilinear or curve) and (NURBS or non adj uniform adj rational adj B adj Spline) same (patches or surface adj element) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 15:07 |
| .15 | 0 | L14 and(uniting or stitching)and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same patches same(obtain\$3 or creat\$3 or generat\$3)and(surface adj model or solid adj model or model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 15:07 |
| _16 | 98 | adj mesh or polygon adj mesh) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 15:23 |

| _17 | 3 | | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 15:24 |
|-----|------|--|---|----|----|---------------------|
| _18 | 1 | L17 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/06 15:24 |
| .19 | 0 | L18 and(uniting or stitching)and(bilinear or curve)and(NUFBS or non adj uniform adj rational adj B adj Spline)same patches same(obtain\$3 or creat\$3 or generat\$3)and(surface adj model or solid adj model or model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/06 15:42 |
| 20 | 8669 | 345/420,423,419,582,428,581,473,421,619,427,646,647,441,440.00LS. | USPAT | OR | ON | 2009/05/06 16:04 |
| 21 | 3720 | L20 and(αreal\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/06 16:04 |
| 22 | 45 | L21 and(αreat\$3 or obtaining)same polygon adj mesh | USPAT | OR | ON | 2009/05/06 16:04 |
| 23 | 35 | [22 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/06 16:04 |
| 24 | 4 | . 123 and bilinear | USPAT | OR | ON | 2009/05/06 16:04 |
| 25 | 3 | 1.24 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/06 16:29 |
| 26 | 1 | iL25 and(grid or mesh)same(NUFBS or non adj uniform adj rational adj B adj Spline)same (polygonal adj mesh or polygon adj mesh) | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/06 16:30 |
| 27 | 0 | IL26 and(uniting or stitching)and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same patches same(obtain\$3 or creat\$3 or generat\$3)same (surface adj model or solid adj model or model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:31 |

| .28 | 0 | L26 and(uniting or stitching) and(bilinear or curve) same(NUPBS or non adj uniform adj rational adj B adj Spline) same patches same(obtain\$3 or creat\$3 or generat\$3) same (surface adj model or solid adj model or model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:31 |
|-----|---|--|---|----|----|---------------------|
| 29 | 1 | L26 and(uniting or stitching)and(bilinear or curve)and(NUPBS or non adj uniform adj rational adj B adj Spline)and patches and(obtain\$3 or creat\$3 or generat\$3)and(surface adj model or solid adj model or model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:32 |
| 30 | 1 | 129 and(break\$3 or segment\$5 or split\$4 or divid\$4)same polygon adj mesh and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(patches or surface adj element) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:37 |
| 31 | 0 | 129 and(break\$3 or segment\$5 or split\$4 or divid\$4)same polygon adj mesh same(bilinear or curves)same(NUPBS or non adj uniform adj rational adj B adj \$pline)same(patches or surface adj element) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:37 |
| 32 | 0 | 129 and(break\$3 or segment\$5 or split\$4 or divid\$4)same polygon adj mesh same(bilinear or curves)same(NUPBS or non adj uniform adj rational adj B adj \$pline)same(patches or surface adj element or models) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:38 |
| 33 | 0 | 129 and(break\$3 or segment\$5 or split\$4 or divid\$4)same polygon adj mesh same(bilinear or curves)same(NUPBS or non adj uniform adj rational adj B adj \$pline)same(patches or surface adj element or surface adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:38 |
| 34 | 0 | L29 and(break\$3 or segment\$5 or split\$4 or divid\$4)same polygon adj mesh same(bilinear or curves)same(NUPBS or non adj uniform adj rational adj B adj \$pline)same(patches or surface adj element or surface adj model\$1 or solid adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:39 |
| 35 | 1 | L29 and(break\$3 or segment\$5 or split\$4 or divid\$4) and polygon adj mesh and(bilinear or curves) and(NUPBS or non adj uniform adj rational adj B adj \$pline) and(patches or surface adj element or surface adj model\$1 or solid adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:40 |
| .36 | 1 | 129 and(break\$3 or segment\$5 or split\$4 or divid\$4) and polygon adj mesh and(bilinear or curves) and(NUPBS or non adj uniform adj rational adj B adj Spline) same(patches or surface adj element or surface adj model\$1 or solid adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:40 |

| L37 | 0 | IL29 and(break\$3 or segment\$5 or split\$4 or divid\$4) and polygon adj mesh and(bilinear or curves) and(NUPBS or non adj uniform adj rational adj B adj Spline) same(surface adj model \$1 or solid adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:40 |
|-----|---|---|---|----|----|---------------------|
| 38 | 2 | L14 and(finite adj element or FE) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:45 |
| .39 | 1 | L36 and(finite adj element or 阳) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:46 |
| .40 | 1 | L39 and(uniting or stitching) and(bilinear or curve) and(NUFBS or non adj uniform adj rational adj B adj Spline) and patches and(obtain\$3 or creat\$3 or generat\$3) and(surface adj model or solid adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:47 |
| .41 | 0 | L39 and(uniting or stitching)same(bilinear or curve)same(NUFBS or non adj uniform adj rational adj B adj Spline)same(obtain\$3 or creat\$3 or generat\$3)same(surface adj model or solid adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/06 16:48 |
| 31 | 2 | (creat\$3 or obtaining or generat\$3)and (three adj dimensional or 3D or 3-D)same(model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:07 |
| 2 | 0 | St and (@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @prad<"20020604" or | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2008/08/28 16:10 |
| 33 | 2 | (creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and(model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:11 |
| 54 | 2 | S3 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:13 |

| 35 | 0 | S4 and stitch\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:14 |
|-----|-------|--|---|----|----|---------------------|
| 36 | 3 | ((CHRISTOF) near2 (HOLBERG)).IW. | US-PGPUB; USPAT | OR | ON | 2008/08/28 16:14 |
| 37 | 0 | S5 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:14 |
| 38 | 0 | SS and(creat\$3 or obtaining or generat\$3)and (three adj dimensional or 3D or 3-D)same (model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:15 |
| 39 | 0 | \$6 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:17 |
| 310 | 0 | S3 and @ad< "20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:18 |
| 311 | 0 | S4 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:18 |
| 312 | 30066 | ((GES or intial adj graphics adj exchange adj specification) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:26 |
| S13 | 3187 | S12 and (CAD OR CAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:26 |

| S14 | 1297 | S13 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:27 |
|-----|------|---|---|----|----|---------------------|
| 315 | 0 | S14 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:27 |
| 316 | 0 | S14 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)and polygon adj mesh and bilinear | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:27 |
| 317 | 739 | S14 and(αreat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:27 |
| 318 | 36 | S17 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:28 |
| 319 | 4 | S18 and (stitch\$3 or uniting) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:35 |
| 220 | 342 | (I GES or intial adj graphics adj exchange adj spedification) same files | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:38 |
| 221 | 282 | S20 and (CAD OR CAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:38 |
| 322 | 131 | \$21 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:38 |

| 3 23 | 86 | S22 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template) | US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:39 |
|-------------|--------|--|---|----|----|---------------------|
| 24 | 11 | \$23 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2008/08/29 11:39 |
| 25 | 167863 | (creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and(model\$1 or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 13:55 |
| 26 | 1 | S25 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 13:59 |
| 27 | 13 | S25 and(creat\$3 or obtaining)adj polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/02 14:00 |
| 28 | 1 | \$27 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/02 14:01 |
| 29 | 1 | \$27 and billinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or sufrace adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:07 |
| 330 | 0 | S29 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @prad<"20020604" or @prad<"20020604") | US-PGPUB; USPAT; EPO; UPO; DERWENT; BM_TDB | OR | ON | 2009/05/02 14:07 |
| 331 | 6116 | 382/154,151,173,181,190,254,276,294,293.CQLS. | USPAT | OR | ON | 2009/05/02 14:12 |
| 332 | 1580 | \$31 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 14:12 |

| 333 | 1 | S32 and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:12 |
|-----|------|--|---|----|----|---------------------|
| 34 | 0 | \$33 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 14:13 |
| 35 | 1 | \$33 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @prad<"20020604" or @prad<"20020604" or | USPAT | OR | ON | 2009/05/02 14:18 |
| 36 | 0 | \$33 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 14:20 |
| 37 | 0 | \$35 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or sufrace adj model\$1) | USPAT | OR | ON | 2009/05/02 14:20 |
| 38 | 8649 | 345/420,423,419,582,428,581,473,421,619,427,646,647,441,440.COLS. | USPAT | OR | ON | 2009/05/02 14:23 |
| 39 | 3710 | \$38 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 14:23 |
| 340 | 1 | S39 and(αeat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:24 |
| 341 | 213 | S39 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:24 |
| 42 | 0 | S41 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 14:25 |
| 43 | 0 | S41 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or sufrace adj model\$1) | USPAT | OR | ON | 2009/05/02 14:25 |
| 344 | 45 | S39 and(creat\$3 or obtaining)same polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:26 |
| 45 | 0 | S44 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:27 |
| 346 | 39 | S44 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @prad<"20020604" or @prad<"20020604") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:27 |
| 47 | 35 | S44 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:33 |
| 48 | 0 | S47 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or sufrace adj model\$1) | USPAT | OR | ON | 2009/05/02 15:14 |
| 49 | 4 | S47 and bilinear | USPAT | OR | ON | 2009/05/02 15:14 |

| S50 | 2514 | 703/1,2.CQLS. | USPAT | OR | ON | 2009/05/02 15:25 |
|-----|------|--|-------|----|----|---------------------|
| 351 | 879 | \$50 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:26 |
| 552 | 18 | S51 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:26 |
| 353 | 0 | \$52 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:26 |
| 54 | 0 | 552 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:27 |
| 555 | 358 | 7021,5.CQ.S. | USPAT | OR | ON | 2009/05/02 15:28 |
| 56 | 93 | \$55 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:28 |
| 357 | 1 | \$56 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:28 |
| 358 | 0 | \$57 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:29 |
| 559 | 0 | \$57 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:29 |
| 360 | 127 | 706/919.ccls. | USPAT | OR | ON | 2009/05/02 15:30 |
| 361 | 36 | \$60 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:30 |
| 62 | 0 | S61 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:30 |
| 63 | 0 | S61 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:30 |
| 64 | 0 | S61 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:30 |
| 65 | 603 | 700/182.cds. | USPAT | OR | ON | 2009/05/02 15:31 |
| 666 | 312 | S65 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:31 |
| 67 | 3 | S66 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:32 |
| 68 | 0 | S67 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:32 |
| 69 | 0 | \$67 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:32 |

| 370 | 3 | \$67 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @prad<"00020604" or @prad<"20020604" or | USPAT | OR | ON | 2009/05/02 15:33 |
|-----|-----|--|---|----|-----|---------------------|
| 71 | 2 | \$67 and @ad<"20020604" | USPAT | OR | ON | 2009/05/02 15:33 |
| 72 | 195 | 715/964.cds. | USPAT | OR | ON | 2009/05/02 15:34 |
| 73 | 94 | \$72 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:35 |
| 74 | 0 | S73 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:35 |
| 75 | 0 | 573 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:35 |
| 76 | 1 | [creat\$3 and(three adj dimensional or 3D or 3-D)and(model\$1 or template)and polygon adj mesh and breaking and polygon adj mesh bilinear adj nurbs and uniting and form and continuous adj surface and composite and(surface adj model or model\$1)).CLM. | US-PGPUB | OR | ON | 2009/05/02 15:42 |
| 77 | 93 | [("(6037949") or ("6222553") or ("6222553") or ("6256038") or ("6271856") or ("6356263") or ("6476804") or ("6806874") or ("6853373") or ("6906718") or ("6956568") or ("6996506") or ("72036170") or ("7274364") or ("20020158880") or ("20030020710") or ("20030128209") or ("2004017032") or ("2004017032") or ("20050188833") or ("20050138210") or ("20050128211") or ("2005013826") or ("2005013821") or ("2005013821") or ("2005013821") or ("2005013826") or ("2005013821") or ("2005013821") or ("20050138281") or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/05/02 15:49 |
| 78 | 56 | S77 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/02 15:51 |
| 79 | 18 | S78 and (creat\$3 or obtaining) and polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB | OR | ON | 2009/05/02 15:51 |
| 30 | 1 | S79 and digitizing and object and (creat\$3 or obtaining) adj polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; BM TDB | OR | ON | 2009/05/02 15:52 |

| S81 | 2 | S79 and digitizing and object and(creat\$3 or obtaining)and polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:52 |
|-----|-----|---|---|----|----|---------------------|
| 382 | 1 | S91 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or sufrace adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:52 |
| 383 | 0 | \$32 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @prad<"20020604" or @plad<"20020604") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:53 |
| 384 | 358 | (grid or mesh)same(NURBS or non adj uniform adj rational adj B adj Spline) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:57 |
| 385 | 193 | \$34 and (@adk "20020604" or @riadk "20020604" or @pradk "20020604" or @pladk "20020604") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:57 |
| 386 | 140 | 535 and (curve or bilinear) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:58 |
| 387 | 47 | 535 and (curve or bilinear)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:58 |
| 388 | 44 | \$37 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:58 |
| 389 | 39 | (398 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:59 |

| 390 | 1 | S39 and break\$3 and polygon adj mesh and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Şoline)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:02 |
|-----|---|---|---|----|----|---------------------|
| 91 | 1 | \$90 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:03 |
| 92 | 1 | \$39 and break\$3 and polygon adj mesh andibilinear or curve)and(NURBS or non adj uniform adj rational adj Badj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:05 |
| 93 | 1 | \$39 and break\$3 and polygon adj mesh and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:06 |
| 94 | 1 | S93 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:06 |
| 95 | 0 | S94 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:07 |
| 396 | 0 | S94 and digitizing and object and(creat\$3 or obtaining or generat\$3)and polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:08 |
| 397 | 0 | \$34 and digitizing and object and(creat\$3 or obtaining or generat\$3)and mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:08 |
| 398 | 1 | S94 and(surface adj model or solid adj model) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:09 |

| S99 | 0 | 994 and(surface adj model or solid adj model)same polygon | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:09 |
|-------|----|--|---|----|----|---------------------|
| \$100 | 1 | \$98 and polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:12 |
| S101 | 1 | \$39 and break\$3 and polygon adj mesh same(bilinear or curve)and(NUFBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:13 |
| 3102 | 0 | \$39 and break\$3 same polygon adj mesh same(bilinear or curve)and(NUFBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:13 |
| 6103 | 0 | \$102 and break\$3 and polygon adj mesh same(bilinear or curve)and(NUFBS or non adj uniform adj rational adj B adj \$pline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:14 |
| 3104 | 1 | \$100 and break\$3 and polygon adj mesh same(bilinear or curve)and(NUFBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:14 |
| S105 | 0 | S104 and stitching | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:21 |
| S106 | 18 | 937 and (polygonal adj mesh or polygon adj mesh) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:30 |
| 5107 | 15 | \$106 and @ad<"20020604" | US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:30 |

| S108 | 1 | S107 and break\$3 and polygon adj mesh same(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or splii\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:31 |
|------|---|---|---|----|----|---------------------|
| S109 | 0 | S100 and break\$3 same polygon adj mesh same(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:34 |
| S110 | 0 | S100 and stitching | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:34 |

5/6/09 4:48:56 PM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 6882.wsp